

# runlinc Al Project 4: Machine Learning Demo (STEMSEL Version)

## **Contents**

Introduction	1
Part A: Design the Circuit on runlinc	3
Part B: Build the Circuit	
Part C: Program the Circuit	4
Part D: Run the Application	<i>6</i>
Appendix	

## Introduction

### Aim

This project will demonstrate machine learning in predicting the next colour that will be clicked by the user.

## **Background**

To make machine predicting like any intelligent human being, this machine needs to be trained or to be imparted knowledge that allows it to think like a human being. The goal of artificial intelligence (AI) as a science is to make machines do things that would require intelligence if they had been done by humans.

There are numerous ways to make a machine think more like a human. The most popular way is the **Neural network**. The neural network is based on the system of human biological neural network (human brain). The brain consists of a densely interconnected set of nerve cells, or basic information-processing units, called **neurons** with the connections, **synapses** between them. A neuron consists of a cell body, **soma**, several fibres called **dendrites**, and a single long fibre called an **axon**.




Figure 1: Biological neural network

For the neural network in a machine, they have the same structure but instead of using view biologically, we use blocks, lines, numbers, mathematically viewing on those units.




Figure 2: Neural network representation between biological and artificial

# **Runlinc Background**

Runlinc is a web page inside a Wi-Fi chip. The programming is done inside the browsers compare to programming inside a chip. The runlinc web page inside the Wi-Fi chip will command the microchips to do sensing, control, data logging Internet of Things (IoT). It can predict and command.

# Part A: Design the Circuit on runlinc

## Note: refer to runlinc Wi-Fi setup guide document to connect to runlinc

For our case, our neural network looks like this: (For more information on this diagram, read the appendix)





Figure 3: Block diagram of Red-or-Green neural network



For C4, it'll be a the variable name of

Figure 4: On runlinc control page, assign "Red" in C4, and

DIGITAL\_OUT with "Red".

For C5, it'll be a DIGITAL\_OUT with the variable name of "Green".

## Part B: Build the Circuit

Use the runlinc I/O to connect the hardware. Remember that black wires connect to the negative port (-), red wires to the positive port (+) and white wires connect to the pin designated in the circuit design.




Figure 5: STEMSEL board with red and green LED

## **Wiring Instructions**

- a) For each white wire, connect them to their respective port as linked on runlinc.
  - a. Red LED white wire to C4.
  - b. Green LED white wire to C5.
- b) Connect all black wires to the negative port (-).

## **Part C: Program the Circuit**

#### HTML:

#### Javascript:


```
var n = 8;
  var sequence = [];
  var count = 0;
  function play(colour) {
     if (sequence.length > 7) {
       sequence.shift();
    }
     switch (colour) {
       case 'red':
          sequence.push("1");
          calculation();
          break;
       case 'green':
          sequence.push("0");
          calculation();
          break;
       default:
          weight = 0;
          sequence = [];
          document.getElementById("seq").innerHTML = "----";
          document.getElementById("predict").innerHTML = "----";
          turnOff(Red);
          turnOff(Green);
          break;
    }
  //Basic machine learning
  function calculation() {
     var input = [];
     var weightEach = []:
     var weight = 0;
     var SUM = 0;
     var DEC = 0;
     for (var i = 0; i < sequence.length; i++) {
       if (sequence[i] == 0) {
          input[i] = 0.1;
       if (sequence[i] == 1) {
          input[i] = 1;
          count++;
       SUM = SUM + sequence[i] * Math.pow(10, 7 - i);
       DEC = SUM.toString(10);
       weightEach[i] = (input[i] / ((1 / DEC) + n));
       weight += weightEach[i];
```

```
document.getElementById("seq").innerHTML = sequence.join(" ");
  prediction(weight);
//Al facts method
function prediction(pred) {
  if (sequence.length < 7) {
     document.getElementById("predict").innerHTML = "----";
    turnOff(Red);
    turnOff(Green);
  } else {
    if (pred >= 0.549999931763907) {
       document.getElementById("predict").innerHTML = "red";
       turnOn(Red);
       turnOff(Green);
    if (pred <= 0.5374999333107895) {
       document.getElementById("predict").innerHTML = "green";
       turnOff(Red);
       turnOn(Green);
    if (pred == 0.6624999923295869) {
       document.getElementById("predict").innerHTML = "green";
       turnOff(Red);
       turnOn(Green);
    if (pred == 0.41249951870961277) {
       document.getElementById("predict").innerHTML = "red";
       turnOn(Red);
       turnOff(Green);
    }
```

# Part D: Run the Application

When you finish implementing the code, remember to send the code to the board. Then you can run the machine learning demo at the IP address. It should have the following page:

## Red or Green



Then you can play around the sequence. You'll find that it'll be slowly able to predict more accurately how you will plan your next sequence. But of course, it won't be highly accurate.

# **Appendix**

The general architecture of an artificial neural network:




Figure A1: Architecture of an artificial neural network

To put it into an analogy between biological and artificial neural networks, we have:

- Some as Neuron
- Dendrite as Input
- Axon as Output
- Synapse as Weight

And to simplify artificial neural network as a computing element, we have




Figure A2: Diagram of a neuron

Before designing our block diagram, figure 3, we need to know our situations:

- 2 inputs with individual weight
- Total of 256 combinations in our sequence, from 00000000 to 11111111 (8 bits)
- Each of the combinations needs to have different weights
- Only record 8 bits

Let's start with 2 inputs with 2 bits. The possible combination of 2 bits, 0 and 1 are:

Decimal	Α	В
0	0	0
1	0	1
2	1	0
3	1	1

Table 1: Possible combination of 2 bits

#### Therefore, in the neural network:




Figure A3: Neural network for 2 bits

#### Same method with 4 bits and 8 bits:




Figure A5: Neural network for 8 bits

11111111

Here comes the trick, we could split 8 bits into 4 parts, and it will make things easier. Example:

	AB (first part)	CD (second part)	EF (third part)	FG (forth part)
00000000		party		00
0000001			00	01
00000010			00	10
00000011	00	00		11
00000100				00
00000101			01	01
00000110				10

With this split, we could see each part are the combination of 2 bits, and we can group them, and assign a number, k for the order of part to let the machine know which part goes first towards last part. Therefore:




Figure A6: 8 bits into 4 parts block diagram

Furthermore, we can split them from 4 to 2 parts, that means k count from 0 to 7.

	Α	В	С	D	Е	F	G	Н
00000000	0	0	0	0	0	0	0	0
0000001	0	0	0	0	0	0	0	1
00000010	0	0	0	0	0	0	1	0
00000011	0	0	0	0	0	0	1	1
00000100	0	0	0	0	0	1	0	0
00000101	0	0	0	0	0	1	0	1
00000110	0	0	0	0	0	1	1	0
11111111	1	1	1	1	1	1	1	1

Finally, group them into a block, change the computer to control, then add a user:




Figure A7: Block diagram of Red-or-Green neural network